

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	574	((compres\$4 or reduc\$4) near2 (width or footprint)) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:37
L2	58	1 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:43
L3	1	("20010000536").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/27 18:45
L4	4903	(707/102).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/27 18:46
L5	3470	4 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:46
L6	2126	5 and (compres\$4 or reduc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:47
L7	10	5 and ((compres\$4 or reduc\$4) near2 width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 19:08
L8	1	((((reduc\$4 or compres\$4) near3 width) and cardinality and threshold and row and column and data\$1base).clm.	US-PGPUB; USPAT	OR	ON	2007/03/27 19:10
S1	116623	(redundant or repeat\$5) and ((reduc\$4 or minimiz\$4 or decreas\$4) with (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 18:48

## EAST Search History

S2	13251	(redundant or repeat\$5) same ((reduc\$4 or minimiz\$4 or decreas\$4) with (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 18:49
S3	266	S2 and (table with (row and column))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 18:55
S4	72	(compar\$4 near3 width near3 column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 18:57
S5	6	S4 same ((reduc\$4 or minimiz\$4 or decreas\$4) near3 width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 18:59
S6	66	S4 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 19:00
S7	367	table with cardinality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 19:00
S8	247	S7 and (compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 19:00
S9	313	S7 and (compar\$4 or match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 19:01

## EAST Search History

S10	2	S9 and ((minimiz\$4 or reduc\$4 or decreas\$4) with width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:13
S11	1	("5761653").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/24 11:18
S12	384	((re\$1arrang\$4 or marg\$4) near4 column) with (data or content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:19
S13	273	((re\$1arrang\$4 or marg\$4) near4 column) near5 (data or content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:20
S14	11	S13 same width	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:22
S15	0	((resiz\$4) near4 (column or table)) same cardinality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:23
S16	11	((resiz\$4) near4 (column or table)) same (redundan\$4 or repeat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:24
S17	2	column with width with un\$1used with space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 13:17
S18	1	("5588099").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/19 13:17

## EAST Search History

S19	16031	column near5 bit\$s	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 12:27
S20	21831	"3" and (width with column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 12:27
S21	16031	S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 12:27
S22	1529	S19 and (width with column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 12:27
S23	4049	(number with value with row with column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 12:28
S24	103	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 12:28
S25	11	S24 and cardinalit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 12:28

## EAST Search History

S26	38	("4468732"   "4479196"   "4858146"   "5010478"   "5201046"   "5276868"   "5379422"   "5412797"   "5414834"   "5495608"   "5542073"   "5546575"   "5555388"   "5560006"   "5592667"   "5611076"   "5649181"   "5675779"   "5692178"   "5701461"   "5713014"   "5734887"   "5794229"   "5797000"   "5797136"   "5838965"   "5855019"   "5918225"   "5966709"   "5983232"   "6006219"   "6018734"   "6199099").PN. OR ("6606638"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/24 15:07
S27	1	("20050262140").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/24 15:07
S28	1	("20040161257").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/08 13:30
S29	1	("5853601").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/08 15:30
S30	4	((("6597319") or ("20040201527") or ("20020103002") or ("5722055")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/08 19:20
S31	1	("20010000536").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/09 10:58
S34	1	("20010000536").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/09 17:09
S35	1	("7058646").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/09 18:57
S36	1	("20050192998").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/12 10:47
S37	1	("20010000536").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/12 11:04
S38	1	("20050192998").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/12 11:55
S39	1	("7058646").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/12 12:25

## EAST Search History

S40	2678	(707/101).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/12 12:25
S41	104	S40 and cardin\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 12:32
S42	7	S40 and (width near3 (decreas\$4 or reduc\$4 or condens\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 12:26
S43	81	S41 and column	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 12:32

Drafts

BRS:

BRS:

Pending

Active

L1: (574) ((compres\$4 or redu

L2: (58) 1 and data\$1base

L3: (1) ("20010000536").PN.

L4: (4903) (707/102).CCLS.

L5: (3470) 4 and table

L6: (2126) 8 and (compres\$4 c

L7: (10) 8 and ((compres\$4 or

L8: (1) (((reduc\$4 or compres\$

Failed

S2 and table with

Saved

S1: (116823) (redundant or re

S2: (132841) (redundant or re

Search

US-PCPUB:USPAT

Default operator: OR

(((reduc\$4 or compres\$4) near3 width) and cardinality and threshold and row and column and data\$1base).clm.

BRS form

ISIR form

Image

Text

HTML

	U	1	Document I	Issue Dat	Page	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P	2	3	5	I
1			US 2005019299 8 A1	20050901	11	Automatic reduction of table memory footprint using column cardinality information	707/102			Dittrich, Jens-Peter et al.							U
																	2
																	8

Ready

HTML

RUM